

Sublimation Inkjet Printer

# TS34-1800A

Mimaki™

Innovative and cost-effective system

## HIGH SPEED and CONTINUOUS PRINTING

High print speed of 32.0 sqm/h (Effective only at 4-color mode)


- Two New Piezo staggered heads
- Assures 18.6 sqm/h print speed in 6-color mode
- Draft print speed 91.3 sqm/h (360 dpi / 1 pass mode)

Further improvement of productivity  
by allowing continuous unmanned operation

- UISS, Uninterrupted Ink Supply System, is a standard feature
- Two liter aluminum packs and an automatic drying fan are equipped. (Options)



Flag



Banner



Sports Apparel


# TS34-1800A




## POINT 1 Achieves high speed printing of up to 32.0 sqm/h

Two newly developed print heads are configured in a staggered pattern, which allows the end-users to quickly respond with increased speeds for wide-format soft signage with a productive high-speed print speed of 32.0 sqm/h in 4 color mode\*1.

\*1 32.0 sqm/h = 4 color, 540 x 720 dpi, BilHi 18.6 sqm/h = 6 color, 540 x 720 dpi, BilHi 91.3 sqm/h = 4 color, 360 x 360 dpi, BilStd



Improved ink jetting angle achieves higher print image quality without grainy appearance in 4-color mode by jetting variable size dots, Large, Medium and Small variable dots, with a maximum resolution of 1440 dpi.



## POINT 2 Enhancing productivity by allowing continuous unattended operation


UISS\*2 is standard equipment - Two ink cartridge holders are allocated for each color. When one ink cartridge indicates low ink level, this system automatically switches to the other one. Additionally, using in combination with the MBIS\*3 that supplies ink from aluminum ink packs(2L) extends the time of ink supply and reduces not only ink cost but also environmental footprint.

To further improve work efficiency, an automatic drying fan\*4 is offered to shorten the ink dry time and allows for continuous media take-up during high-speed printing.

\*2 UISS - Uninterrupted Ink Supply System: Automatic ink cartridge switching function (4-color mode only)

\*3 MBIS - Mimaki Bulk Ink System (Option)

\*4 Automatic drying fan is the option.



## New generation of output software with 16 bit rendering Sophisticated RIP maximizes the performance of TS34-1800A.

- Smooth gradation with less tone jump is achieved with 16 bit rendering.
- Versatile editing functions such as tiling, trimming, scaling, and rotating are provided.
- The web update function easily provides both software updates and profile downloads.

- Multiple images can be nested freely in the RIP.
- The software works in mixed Windows/Macintosh network environment.

RasterLink Pro 5 TA

### Specifications

Item	TS34-1800A
Head	On-demand Piezo head (Array of 2 staggered print heads)
Print resolution	360, 540, 720, 1,440 dpi
Maximum width	1,900 mm
Ink	Kind
	Sublimation ink : Sb52 (BL/MY/K/LBL/LM) Sublimation ink : Sb53 (BL/MY/K/LBL/LM) Water-based pigment ink (C/M/Y/K/LC/LM)
Supply system	220 ml or 440 ml ink cartridge / 2 L ink pack
	Size
Media	210 mm~1,910 mm (Thickness 1.0 mm or under)
	Weight
	25 kg or under
	Roll outside diameter
	Φ180 mm or under
Roll inside diameter	2 inch or 3 inch
	Cutter
Y-direction cutter after head section	
Take-up device	Equipped with a roll take-up device, inside / outside selectable
Interface	USB 2.0
Power specification	AC 100~120 V, AC 200~240 V
Power consumption	360 W or under
Dimensions (WxDxH)	2,840 x 750 x 1,430 mm
Weight	210 kg

### Supplies & Options

Item	Item No
Sublimation ink Sb52	440 ml ink cartridge
	SPC-0584BL / M / Y / K / LBL / LM
Sublimation ink Sb53	2 L ink pack *1
	SPC-0585BL / M / Y / K / LBL / LM
Sublimation ink Sb52	440 ml ink cartridge
	SB53-BL / M / Y / K / LBL / LM-44
Water-based pigment ink	2 L ink pack *1
	SPC-0494C / M / Y / K / LC / LM / LK
Drying fan 180	OPT-J0313
Sulimation option for TS34-1800A *2	OPT-J0329
MBIS2 (Mimaki Bulk Ink System)	OPT-J0305

\*1: 2 L ink packs can be used with MBIS, Mimaki Bulk Ink System (Option).  
\*2: Fan unit for prevention of ink mist.

Some of the samples in this catalogue are artificial renderings. Specifications, design and dimensions stated in this catalogue may be subject to change without notice (for technical improvements, etc.). The corporate names and merchandise names written on this catalogue are the trademark or registered trademark of the respective corporations. Inkjet printers print using extremely fine dots, so colors may vary slightly after replacement of the printing heads. Also note that if using multiple printer units, colors could vary slightly from one unit to other unit due to slight individual differences.



Our factory is certified according to ISO14001:2004

## MIMAKI ENGINEERING CO., LTD.

2182-3 Shigeno-otsu, Tomi-city, Nagano 389-0512, Japan  
Tel: +81-268-78-2288  
trading@mimaki.jp www.mimaki.co.jp

## MIMAKI USA, INC.

150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A  
Atlanta +1-888-530-3988 Boston +1-888-530-3986  
Los Angeles +1-888-530-3987 Chicago +1-888-530-3985  
www.mimakiusa.com

## MIMAKI EUROPE B.V.

Stammerdijk 7E,  
1112 AA Diemen, The Netherlands  
Tel: +31-20-4627-640  
www.mimakieurope.com @MimakiEurope