











Name & Technical Parameters	Qty	Machine Picture
<p>Bottles feeding table 1.Type: KL-IZ12 2.Machine Speed: 80 bottles /min 3.Power:10w, Three Phase 380V, 50-60Hz 4.Turntable Max size :Φ1200</p>	1	
<p>Z type elevator Usage : vertical lifting materials. It can be working with the packing machine Volume: 7 2 0 0 L / H Power: 0 . 7 5 kw Single Bucket volume: 1 . 8 L</p>	1	
<p>14*2.0L multiheads weight Packing Range: 10-5000g Accuracy rate: ± 1% Packing Speed: 30~35 bags/min Power Supply: AC220V/50Hz Power: 1500W</p>	1	

<p>Working platform Material: 304SS Size: 1800*1800*1800mm</p>	<p>1</p>	
<p>Liquid filling machine Material: 304SS Filling range: 500~ 1500ML Filling speed: 20~30 cans/min</p>	<p>1</p>	
<p>Rotary located filling machine Hopper size : Diameter: 50— 180mm Height: 50—350 mm Packing speed: 2 0 ~ 3 5 bottles/ min Power Supply: Three Phase 3 8 0 V 50/60Hz Power: 3.5Kw Pressure: 6-8Kg/ Cm Gas consumption: 0.2m3 / min Machine Weight: 350Kg Vibration function</p>	<p>1</p>	

<p>Film sealing machine Sealing Speed :20~40 cans/min Bottle diameter:10-250mm Bottle height :40-300mm Power Supply : 220V50HZ Machine size: 2000x628x1438mm</p>	<p>1</p>	
<p>Caps covering and screwing machine 1.Type:GX200 2.Capping Speed :20-40 bottles/minutes 3.Bottles size :Φ30~ 120 mm, height (can be customized based on the requirements) 4.Dimensions: 1800mm×900mm×1800 mm (Length × Width × Height) 5.Weight: 450kg 6.Electrical Requirements:Power:1300W, Voltage: 220v, Frequency: 50-60HZ (optional)</p>	<p>1</p>	
<p>Single side labeling machine 1.Type:OLR-V 2.Speed: 20-30 bottles/minutes 3.Bottles size : can be customized based on the requirements 4.Dimensions: 1600mm×1100mm×1200 mm (Length × Width × Height) 5.Weight: 150kg . Electrical Requirements: Power:380W, Voltage: 220v, Frequency: 50-60HZ (optional)</p>	<p>1</p>	

<p>Finished bottles collection table 1.Type:KL-0Z12 2.Power : 10w, Three Phase 380V, 50-60Hz 3.Turntable Max size :Φ1200</p>	1	
The whole line controlling	1	
Moulds for different size buckets	2	
Film sealing machine 9 place	1	
Film sealing machine 1 place	2	