



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书

INSPECTION CERTIFICATE


 NO:XDYC250403010
 Tel: 0515-86868999 转 8265
 Fax: 0515-86788837
 地址: 江苏省盐城市响水工业经济区
 Add: Xiangshui Industrial Economic
 Zone, Yancheng City, Jiangsu Province

 收货单位:
 Purchaser 佛山市力盛不锈钢有限公司
 牌号:
 Steel Species SUS304
 标准:
 Standard JIS G4305:2021

 合同号:
 Contract No. XDFSL2025-FSL0206B02
 产品名称:
 Product Name 冷轧不锈钢卷
Stainless Steel Cold Rolled Coil

 发货日期:
 Delivery Date 2025年04月03日
 交货状态:
 Delivery Condition 固溶酸洗
Solution & Anneal

序号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
1	DL1520063A	SUS304	NO.2B	M	0.61	1250	1759	10.546	0.027	0.96	0.44	0.031	0.008	8.00	18.17	0.060	54	729	318	172	J135019001	上开
2	DL1511267A	SUS304	NO.2B	M	0.81	1250	1330	10.55	0.050	0.93	0.38	0.026	0.006	8.01	18.08	0.060	55	720	307	168	J115006102	上开
3	DL1512109A	SUS304	NO.2B	M	0.78	1250	1374	10.628	0.054	0.90	0.43	0.026	0.009	8.01	18.04	0.060	56	725	302	165	J145024704	上开
4	DL1511266A	SUS304	NO.2B	M	0.81	1250	1342	10.629	0.057	0.98	0.43	0.028	0.006	8.01	18.08	0.062	50	707	320	180	J115012702	下开
5	DL3520866A	SUS304	NO.2B	M	2.91	1250	368	10.739	0.041	0.90	0.37	0.025	0.003	8.01	18.17	0.058	55	690	316	170	J125017602	上开
6	DL1511126A	SUS304	NO.2B	M	0.58	1250	1876	10.743	0.037	0.91	0.49	0.025	0.005	8.02	18.04	0.059	59	723	306	177	J125006702	上开
7	DL3520868A	SUS304	NO.2B	M	2.81	1250	381	10.759	0.040	0.94	0.41	0.023	0.003	8.01	18.12	0.052	55	727	309	165	J125016404	上开
8	DL3520775A	SUS304	NO.2B	M	2.48	1250	435	10.767	0.051	0.96	0.51	0.026	0.008	8.03	18.00	0.052	55	711	317	171	J135001301	上开

说明:

- 1、本证明书不得伪造,复印件需加盖经销商红章方有效。This certificate shall not be forged,copy needs stamp dealer red chapter party effectively.
- 2、边部Edge:M--Mill表示毛边,C--Cut表示切边。
- 3、本产品经检测无辐射污染,未添加汞。non-radiative contamination,No mercury is added.
- 4、本表产品已按上述要求制造和检验,其结果符合要求,特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.

备注:本公司取得资质证书

1、ISO9001:2015质量管理体系;2、ISO45001:2018职业健康安全管理体系;3、ISO14001:2015环境管理体系;4、ISO10012:2003测量管理体系;5、欧盟压力设备PED认证;6、CPR欧盟建筑用材料认证。

Remarks: Following quality certification is available:

1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.

质量负责人

Quality Manager



质量专用章



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书

INSPECTION CERTIFICATE



NO:XDYC250403010
Tel: 0515-86868999 转 8265
Fax: 0515-86788837
地址: 江苏省盐城市响水工业经济区
Add: Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位:
Purchaser 佛山市力盛不锈钢有限公司

牌号:
Steel Species SUS304

标准:
Standard JIS G4305:2021

合同号:
Contract No. XDFSL2025-FSL0206B02

产品名称:
Product Name 冷轧不锈钢卷
Stainless Steel Cold Rolled Coil

发货日期:
Delivery Date 2025年04月03日

交货状态:
Delivery Condition 固溶酸洗
Solution & Anneal

序号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
9	DL3520728A	SUS304	NO.2B	M	2.61	1250	411	10.768	0.041	0.94	0.46	0.027	0.004	8.00	18.04	0.052	51	702	310	178	J135036205	上开
10	DL2521008A	SUS304	NO.2B	M	2.91	1250	369	10.769	0.035	0.94	0.44	0.026	0.006	8.03	18.06	0.054	53	695	314	171	J115045903	上开
11	DL3520994A	SUS304	NO.2B	M	2.41	1250	448	10.787	0.036	0.92	0.44	0.025	0.005	8.01	18.00	0.065	54	697	302	172	J125014903	上开
12	DL1521273A	SUS304	NO.2B	M	0.81	1250	1361	10.799	0.042	0.92	0.46	0.028	0.006	8.03	18.02	0.058	56	695	300	170	J125010502	下开
13	DL1521285A	SUS304	NO.2B	M	0.81	1250	1361	10.819	0.038	0.94	0.49	0.025	0.003	8.01	18.02	0.057	53	704	314	172	J115046206	上开
14	DL1511179A	SUS304	NO.2B	M	0.98	1250	1127	10.826	0.043	0.92	0.46	0.027	0.004	8.00	18.09	0.056	55	712	301	166	J115015405	上开
15	DL2521253B	SUS304	NO.2B	M	2.48	1250	437	10.857	0.036	0.90	0.44	0.030	0.006	8.00	18.02	0.055	50	690	312	179	J135042405	上开
16	DL2521045B	SUS304	NO.2B	M	2.91	1250	374	10.979	0.040	0.91	0.45	0.024	0.004	8.00	18.06	0.061	54	696	304	172	J135040105	上开

说明:

- 1、本证明书不得伪造,复印件需加盖经销商红章方有效。This certificate shall not be forged,copy needs stamp dealer red chapter party effectively.
- 2、边部Edge:M--Mill表示毛边,C--Cut表示切边。
- 3、本产品经检测无辐射污染,未添加汞。non-radiative contamination,No mercury is added.
- 4、本表产品已按上述要求制造和检验,其结果符合要求,特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.

备注:本公司取得资质证书

1、ISO9001:2015质量管理体系;2、ISO45001:2018职业健康安全管理体系;3、ISO14001:2015环境管理体系;4、ISO10012:2003测量管理体系;5、欧盟压力设备PED认证;6、CPR欧盟建筑用材料认证。

Remarks: Following quality certification is available:

1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.

质量负责人

Quality Manager



质量专用章



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书

INSPECTION CERTIFICATE



NO:XDYC250403010
Tel: 0515-86868999 转 8265
Fax: 0515-86788837
地址: 江苏省盐城市响水工业经济区
Add: Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位: 佛山市力盛不锈钢有限公司
Purchaser
牌号: SUS304
Steel Species
标准: JIS G4305:2021
Standard

合同号: XDFSL2025-FSL0206B02
Contract No.
产品名称: 冷轧不锈钢卷
Product Name: Stainless Steel Cold Rolled Coil

发货日期: 2025年04月03日
Delivery Date
交货状态: 固溶酸洗
Delivery Condition: Solution & Anneal

序号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
17	DL2521046B	SUS304	NO.2B	M	2.81	1250	389	10.979	0.049	0.92	0.42	0.024	0.004	8.00	18.03	0.060	53	703	330	182	J125016305	上开
18	DL2520896B	SUS304	NO.2B	M	2.71	1250	405	11.018	0.036	0.94	0.46	0.026	0.005	8.00	18.01	0.055	57	709	306	169	J125014304	上开
19	DL1511605B	SUS304	NO.2B	M	0.88	1250	1287	11.031	0.051	0.98	0.40	0.028	0.004	8.01	18.10	0.050	56	718	305	165	J135010302	上开
20	DL1511266B	SUS304	NO.2B	M	0.81	1250	1401	11.037	0.057	0.98	0.43	0.028	0.006	8.01	18.08	0.062	50	707	320	180	J115012702	上开
21	DL3520866B	SUS304	NO.2B	M	2.91	1250	379	11.079	0.041	0.90	0.37	0.025	0.003	8.01	18.17	0.058	55	712	310	172	J125017602	上开
22	DL1511267B	SUS304	NO.2B	M	0.81	1250	1409	11.107	0.050	0.93	0.38	0.026	0.006	8.01	18.08	0.060	54	703	306	172	J115006102	上开
23	DL1521108B	SUS304	NO.2B	M	0.91	1250	1256	11.132	0.035	0.97	0.40	0.027	0.008	8.00	18.02	0.064	54	699	306	166	J125014701	上开
24	DL3520943B	SUS304	NO.2B	M	2.48	1250	463	11.496	0.036	0.90	0.44	0.030	0.006	8.00	18.02	0.055	55	726	316	168	J135042403	上开
合计Total								260.844														

说明:

- 1、本证明书不得伪造，复印件需加盖经销商红章方有效。This certificate shall not be forged,copy needs stamp dealer red chapter party effectively.
- 2、边部Edge: M--Mill表示毛边, C--Cut表示切边。
- 3、本产品经检测无辐射污染,未添加汞。non-radiative contamination, No mercury is added.
- 4、本表产品已按上述要求制造和检验,其结果符合要求,特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.

备注: 本公司取得资质证书

- 1、ISO9001:2015质量管理体系; 2、ISO45001:2018职业健康安全管理体系; 3、ISO14001:2015环境管理体系; 4、ISO10012:2003测量管理体系; 5、欧盟压力设备PED认证; 6、CPR欧盟建筑材料认证。
- Remarks: Following quality certification is available:
1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System; 4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.

质量负责人

Quality Manager

